

Allied Physicians ACO 2015 Quality Performance Results Table

| Measure number | Measure Name | 2015 reporting period | |
|----------------|--|-----------------------|-----------------------------------|
| | | ACO performance rate | Mean performance rate (SSP- ACOs) |
| ACO-1 | CAHPS: Getting Timely Care, Appointments, and Information | 81.26 | 80.61 |
| ACO-2 | CAHPS: How Well Your Providers Communicate | 90.15 | 92.65 |
| ACO-3 | CAHPS: Patients' Rating of Provider | 88.80 | 91.94 |
| ACO-4 | CAHPS: Access to Specialists | 80.06 | 83.61 |
| ACO-5 | CAHPS: Health Promotion and Education | 52.94 | 59.06 |
| ACO-6 | CAHPS: Shared Decision Making | 72.72 | 75.17 |
| ACO-7 | CAHPS: Health Status/Functional Status | 69.57 | 72.30 |
| ACO-34 | CAHPS: Stewardship of Patient Resources* | 29.39 | 26.87 |
| ACO-8 | Risk Standardized, All Condition Readmission | 15.62 | 14.86 |
| ACO-35 | Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)* Readmission | 21.72 | 18.07 |
| ACO-36 | All-Cause Unplanned Admissions for Patients with Diabetes* | 64.64 | 54.60 |
| ACO-37 | All-Cause Unplanned Admissions for Patients with Heart Failure* | 95.59 | 76.96 |
| ACO-38 | All-Cause Unplanned Admissions for Patients with Multiple Chronic Conditions | 63.96 | 62.92 |
| ACO-9 | Ambulatory Sensitive Condition Admissions: Chronic Obstructive Pulmonary Disease or Asthma in Older Adults (AHRQ Prevention Quality Indicator (PQI) #5) | 1.01 | 1.11 |
| ACO-10 | Ambulatory Sensitive Conditions Admissions: Heart Failure (AHRQ Prevention Quality Indicator (PQI) #8) | 1.51 | 1.04 |
| ACO-11 | Percent of Primary Care Physicians who Successfully Meet Meaningful Use Requirements | 33.33% | 76.22% |
| ACO-39 | Documentation of Current Medications in the Medical Record* | — | 84.07% |
| ACO-13 | Falls: Screening for Future Fall Risk | — | 56.46% |
| ACO-14 | Preventive Care and Screening: Influenza Immunization | — | 62.03% |
| ACO-15 | Pneumonia Vaccination Status for Older Adults | — | 63.73% |
| ACO-16 | Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-up | — | 71.15% |
| ACO-17 | Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention | — | 90.16% |
| ACO-18 | Preventive Care and Screening: Screening for Clinical Depression and Follow-up Plan | — | 45.25% |
| ACO-19 | Colorectal Cancer Screening | — | 60.06% |
| ACO-20 | Breast Cancer Screening | — | 65.67% |
| ACO-21 | Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented | — | 70.04% |
| ACO-40 | Depression Remission at Twelve Months* | N/A | N/A |
| ACO-27 | Diabetes Mellitus: Hemoglobin A1c Poor Control | — | 6.11% |
| ACO-41 | Diabetes: Eye Exam* | 0.00% | 35.38% |
| ACO-28 | Hypertension: Controlling High Blood Pressure | 33.33% | 20.38% |
| ACO-30 | Ischemic Vascular Disease: Use of Aspirin or Another Antithrombotic | 0.00% | 41.05% |
| ACO-31 | Heart Failure: Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD) | — | 69.62% |
| ACO-33 | Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy - for patients with CAD and Diabetes or Left Ventricular Systolic Dysfunction (LVEF<40%) | — | 83.82% |

CAHPS = Consumer Assessment of Healthcare Providers and Systems, PQI = Prevention Quality Indicator, LVSD = left ventricular systolic dysfunction, ACE = angiotensin-converting enzyme, ARB = angiotensin receptor blocker, CAD = coronary artery disease.

*= Measure required beginning Reporting Year 2015.

N/A= Reporting on the depression remission measure is not required for 2015, as indicated by N/A